



**Exolon® multi UV 5X/16-25**  
Meets your Needs

# Exolon® multi UV 5X/16-25

High-tech plastic for a modern world

## Exolon Group

**With innovation and efficiency**

Exolon Group is one of the world's largest manufacturers of innovative materials. The company develops high-quality products used in numerous applications in everyday life. Just one example: polycarbonate multiwall and solid sheets, which are used in environmentally compatible, intelligent and sustainable solutions. The Exolon Group portfolio includes strong brands such as Exolon®, which are trusted by clients around the world, and are frequently global market leaders.

## Exolon® multi UV


**Multiwall sheets for various areas of application...**

...and giving you more freedom in design. The Exolon® multi UV product line comprises transparent, weather-resistant multiwall sheets, which are available in different sheet thicknesses and are protected by a UV coating. All the designs stand out due to their exceptionally high impact resistance, high transparency and low weight.

## Exolon® multi UV 5X/16-25

**Excellent properties make all the difference**

The Exolon® multi UV 5X product line results from our passion for challenging established concepts and exploring new avenues. With a thickness of 16 mm and an X-structure, the 5X multiwall polycarbonate sheets are extremely rigid.




Furthermore, this sheet demonstrates significantly better load-bearing behaviour whilst maintaining an optimised area weight. Another advantage is the clear improvement in the surface quality in comparison to the previous geometry.

## Exolon® multi UV 5X solutions

Your benefits at a glance:

- High rigidity
- Optimised area weight
- Improved surface quality
- High light transmission



From small-scale usage to project-level application: the functional one, the strong one or the light one

## Exolon® multi UV 5X/16-25

**The functional one – for daily usage**

Whether you are intending to use it in greenhouses, carports or as roofing for a veranda, this sheet can be used for all kinds of applications. The sheet's improved load-bearing capacity and surface quality gives you the chance to explore new ways of using it.

## Exolon® multi UV 5X/16-25 ES

**The strong one – for when it matters the most**

ES stands for extra strong. This multiwall sheet is the ideal sheet for large span widths and is best used for industrial glazing.

## Exolon® multi UV 5X/16-25 BF

**The light option – for the simple things in life**


BF stands for butterfly, the lightweight option of the 5X product line. If you're looking for a light material that is easy to install and simple to process, this is the option for you.

## Energy-efficient and sustainable

Exolon® products satisfy demanding criteria for sustainability and energy efficiency in terms of the way they are produced, the fact that the materials can be recycled, and the environmentally friendly composition of the material itself.



Optional extra: translucent heat protection



### Exolon® multi UV 5X/16-25 IQ-Relax

The selective option – for a temperate climate.

Heat build-up caused by sunlight can be significantly reduced by using one of these sheets. The choice you make is down to personal preference: if you like translucent, white multiwall sheets that provide pleasant light distribution, choose the IQ-Relax option.



Exolon Group S.p.A  
Strada Di Vagno 15/A –  
05035 Nera Montoro (TR)  
Italy

[sales@exolongroup.com](mailto:sales@exolongroup.com)  
[www.exolongroup.com](http://www.exolongroup.com)

The manner in which you use and the purpose to which you put and utilize our products, technical assistance and information (whether verbal, written or by way of production evaluations), including any suggested formulations and recommendations, are beyond our control. Therefore, it is imperative that you test our products, technical assistance, information and recommendations to determine to your own satisfaction whether our products, technical assistance and information are suitable for your intended uses and applications. This application-specific analysis must at least include testing to determine suitability from a technical as well as health, safety, and environmental standpoint. Such testing has not necessarily been done by Exolon Group. Unless we otherwise agree in writing, all products are sold strictly pursuant to the terms of our standard conditions of sale which are available upon request. All information and technical assistance is given without warranty or guarantee and is subject to change without notice. It is expressly understood and agreed that you assume and hereby expressly release us from all liability, in tort, contract or otherwise, incurred in connection with the use of our products, technical assistance, and information. Any statement or recommendation not contained herein is unauthorized and shall not bind us. Nothing herein shall be construed as a recommendation to use any product in conflict with any claim of any patent relative to any material or its use. No license is implied or in fact granted under the claims of any patent. Exolon® is a registered trademark by Exolon Group.  
Edition: 2021 · Order-No.: MF0298 e · Printed in Germany