





Exolon® Accessories for Multiwall Sheets

POLYCARBONATE PROFILES H-TYPE



Measures in mm	H4	H6	H8	H10	H16	H20	H25	H32	H40
A	55	63	67	72	97	118	113	126	127
B	44	51	49	57	75	80	92	112	110
C	7.5	9	9	13	20	27	30	37	46

Tolerances: A&B: +/- 3mm - thickness (mm)
C: +/- 0,5mm

UV Protection: on side B

Profile	Length m	Packaging (pc/ unit)
H4	6	20
H6	6	20
H8	6	20
H10	6	20
H16	6	10
H20	6	10
H25	6	7
H32	6	5
H40	6	5


Minimum Order Quantity : 1 pack

POLYCARBONATE PROFILES U-TYPE

Measures in mm	U4	U6	U8	U10	U16	U20	U25	U32	U40
A	14	15	16	19	21	26	25	33	32
B	11	12	14	15	15	22	18	27	27
C	7	9	11	13	20	25,5	30	36	43


Tolerances: A&B: +/- 3mm - thickness (mm)
C: +/- 0,5mm

UV Protection: on side B and C



Profile	U4	U6	U8	U10	U16	U20	U25	U32	U40
Length [m]	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1
Packaging [pcs/unit]	50	50	50	50	50	50	50	50	20

Minimum Order Quantity : 1 pack




exolon[®]
multi UV


The manner in which you use and the purpose to which you put and utilize our products, technical assistance and information (whether verbal written or by way of production evaluations), including any suggested formulations and recommendations, are beyond our control. Therefore, it is imperative that you test our products, technical assistance, information and recommendations to determine to your own satisfaction whether our products, technical assistance and information are suitable for your intended uses and applications. This application-specific analysis must at least include testing to determine suitability from a technical as well as health, safety, and environmental standpoint. Such testing has not necessarily been done by Exolon Group. Unless we otherwise agree in writing, all products are sold strictly pursuant to the terms of our standard conditions of sale which are available upon request. All information and technical assistance is given without warranty or guarantee and is subject to change without notice. It is expressly understood and agreed that you assume and hereby expressly release us from all liability, in tort, contract or otherwise, incurred in connection with the use of our products, technical assistance, and information. Any statement or recommendation not contained herein is unauthorized and shall not bind us. Nothing herein shall be construed as a recommendation to use any product in conflict with any claim of any patent relative to any material or its use. No license is implied or in fact granted under the claims of any patent.

POLYCARBONATE PROFILE H-MULTI SIZE


Top Side - Free Shape



Bottom Side Free Shape




Assembled Shape






Profile	Length (m)	Packaging (pc/ unit)
H-Multisize 4-16 mm	6	20

MODULAR ALUMINUM H SHAPED JUNCTION SYSTEM


Modular H shaped aluminum profile



ACCESSORIES

Accessories	Description	Length [m]	For Sheet Thickness [mm]
	H Shaped Aluminum Profile	6 m	-
	EPDM Gasket	200 m/ roll	-
	Polycarbonate Spacer	-	6 mm 10 mm 16 mm 25 mm

Minimum Order Quantity : 1 pack

ADJUSTABLE ALUMINUM H-SHAPED JUNCTION SYSTEMS


Accessoires	Description	Length [m]
	H shaped aluminum profile - bottom part	6 m
	H shaped aluminium profile - upper part	6 m
	Cover	6 m
	EPDM Gasket	200 m/roll
	Spacer	6 m
	Closing Cap – On request	6 m

Minimum Order Quantity : 1 pack

exolon[®]
multi UV

The manner in which you use and the purpose to which you put and utilize our products, technical assistance and information (whether verbal written or by way of production evaluations), including any suggested formulations and recommendations, are beyond our control. Therefore, it is imperative that you test our products, technical assistance, information and recommendations to determine to your own satisfaction whether our products, technical assistance and information are suitable for your intended uses and applications. This application-specific analysis must at least include testing to determine suitability from a technical as well as health, safety, and environmental standpoint. Such testing has not necessarily been done by Exolon Group. Unless we otherwise agree in writing, all products are sold strictly pursuant to the terms of our standard conditions of sale which are available upon request. All information and technical assistance is given without warranty or guarantee and is subject to change without notice. It is expressly understood and agreed that you assume and hereby expressly release us from all liability, in tort, contract or otherwise, incurred in connection with the use of our products, technical assistance, and information. Any statement or recommendation not contained herein is unauthorized and shall not bind us. Nothing herein shall be construed as a recommendation to use any product in conflict with any claim of any patent relative to any material or its use. No license is implied or in fact granted under the claims of any patent.

POLYAMIDE BUTTONS (INCLUDING GASKETS)

Width (mm)	Packaging (pc./unit)
6	500
10	500
16	500

Minimum Order Quantity : 1 pack



TAPES

Aluminum - Polyethylene



Tape	Thickness [m]	Roll length [m]	Packaging (pc./unit)
38mm	38	300	8 rolls/pack
50mm	50	300	6 rolls/pack
60mm	60	300	8 rolls/pack

Minimum Order Quantity : 1 pack

TAPES

Minimum Order Quantity : 1 pack

Tape	Thickness [m]	Roll length [m]	Packaging [pcs./unit]
Seal 25	25	133 m	24 rolls/pack
Seal 38	38	133 m	16 rolls/pack
Seal 50	50	133 m	12 rolls/pack
Seal 60	60	133 m	10 rolls/pack
Breath 25	25	100 m	24 rolls/pack
Breath 38	38	100 m	16 rolls/pack
Breath 50	50	100 m	12 rolls/pack
Breath 60	60	100 m	10 rolls/pack



Antidust Sealing



Antidust Breather

Best practice: one edge with Antidust Sealing and the other edge with Antidust Breather

This image shows a full page of blank graph paper. The grid consists of small, uniform squares formed by thin, light blue horizontal and vertical lines. There are no margins, text, or other markings on the page.

The manner in which you use and the purpose to which you put and utilize our products, technical assistance and information (whether verbal written or by way of production evaluations), including any suggested formulations and recommendations, are beyond our control. Therefore, it is imperative that you test our products, technical assistance, information and recommendations to determine to your own satisfaction whether our products, technical assistance and information are suitable for your intended uses and applications. This application-specific analysis must at least include testing to determine suitability from a technical as well as health, safety, and environmental standpoint. Such testing has not necessarily been done by Exlon Group. Unless we otherwise agree in writing, all products are sold strictly pursuant to the terms of our standard conditions of sale which are available upon request. All information and technical assistance is given without warranty or guarantee and is subject to change without notice. It is expressly understood and agreed that you assume and hereby expressly release us from all liability, in tort, contract or otherwise, incurred in connection with the use of our products, technical assistance, and information. Any statement or recommendation not contained herein is unauthorized and shall not bind us. Nothing herein shall be construed as a recommendation to use any product in conflict with any claim of any patent relative to any material or its use. No license is implied or in fact granted under the claims of any patent.



Exolon Group S.p.A
Strada Di Vagno 15/A –
05035 Nera Montoro (TR)
Italy

sales@exolongroup.com
www.exolongroup.com

The manner in which you use and the purpose to which you put and utilize our products, technical assistance and information (whether verbal, written or by way of production evaluations), including any suggested formulations and recommendations, are beyond our control. Therefore, it is imperative that you test our products, technical assistance, information and recommendations to determine to your own satisfaction whether our products, technical assistance and information are suitable for your intended uses and applications. This application-specific analysis must at least include testing to determine suitability from a technical as well as health, safety, and environmental standpoint. Such testing has not necessarily been done by Exolon Group. Unless we otherwise agree in writing, all products are sold strictly pursuant to the terms of our standard conditions of sale which are available upon request. All information and technical assistance is given without warranty or guarantee and is subject to change without notice. It is expressly understood and agreed that you assume and hereby expressly release us from all liability, in tort, contract or otherwise, incurred in connection with the use of our products, technical assistance, and information. Any statement or recommendation not contained herein is unauthorized and shall not bind us. Nothing herein shall be construed as a recommendation to use any product in conflict with any claim of any patent relative to any material or its use. No license is implied or in fact granted under the claims of any patent. Exolon® is a registered trademark by Exolon Group.
Edition: 2025 · Order-No.: Accessories